


Title: Procurement of Medical Mannequins, Articles & Models for developing Comprehensive skill Laboratory at SIHFW

BID FORM



NIB Reference No. F-82(1)/SIHFW/Medi Equip Proc/15-16/part III/5008, Dated: 22.07.15

Name of Work – Supply, Installation & Training to Operate Medical Mannequins, Articles & Models for developing Comprehensive Skill Laboratory at SIHFW.



BID INDEX

Si No	· ·	PAGE No.
1.	Notice inviting Bid	
2.		3
2.	Instructions to bidders	4-5
3.	Bid Description	
	·	6
4.	Declaration Form cum Check List Annexure A	7
5.	Bid form Annexure B	
6.	T	8
0,	Terms and Conditions Annexure C	9-18
7.	Annexure D	
8.	Annexure E	19-20
0.	Annexure E	21-29
9.	Annexure F	
10.	Annexure G	30
	Almendie G	31
11.	Annexure H	32
12.	Annexure I	32
		33
13.	Annexure J	34
14.	Annexure K	
		35



State Institute of Health and Family Welfare,

Jhalana Institutional Area. South of Doordarshan Kendra, Jaipur Ph.2706496, 2701938, Fax- 2706534

NIT Ref.No.:F-82 (1)/SIHFW/Medi Equip Proc/15-16/Part II/5008

Dated: 22.07.15

Tender Notice

Sealed Tender/Quotations are invited from the Manufacturers or authorized distributors/dealers to provide the MANNEQUINS & Equipments in the SIHEM as below.

S. No.	Assignment	Estimated Cost	Tender form cost	Earnest Money	Date of Obtaining the Tender form	Last Date and time of submission of Tender	Date and time of opening the tender
l i	Supply, Installation & Training to Operate Medical Mannequins, Articles & models for developing Comprehensive Skill Laboratory at SIHFW	23.00 Lacs	1000.00	46000.00	27 July to 9 August 2015	form 10 August 2015 01.00 PM	form 10 August 2015 03.00 PM

Sealed Quotations received after last date and time will not be accepted. The sealed quotations should be submitted in prescribed tender form. Tender document may be obtained from our office through Cash/Cheque/DD in name of State Institute of Health & Family welfare, Jaipur or downloaded from the website. The Terms & Conditions of tender form may obtained from our website www.sihfwrajasthan.com. Downloaded Tender form should accompany DD/Payorder of Rs. 1000.00 along with it.

(Director)



Instruction to Bidders

Before filling up of bid form, kindly go through the following instructions carefully so that your bid may not be considered invalid:

- Go through the terms and conditions, annexure and other forms of the document carefully and meticulously.
- 2. It is expected from all the bidders that they will ensure that documents to be used in bid set will be given to a reliable person only, and that only a fully reliable person shall be authorized for direct communication so that the confidentiality of our bid/rates is maintained up to bid opening & that your documents are not put to any misuse.
- 3. Complaints lodged in SIHFW should bear signature, name, Id proof and mobile number of the complainant.
- 4. In case you are given any assurance of any advantage in SIHFW, by anybody or if you are directly or indirectly threatened or intimated of harming your bidding & subsequent work in SIHFW, please inform immediately about the same to the Director, SIHFW or Registrar SIHFW. It would be better if evidence of such unfair activity of such person is produced so that action might be taken against such person/institution and their details may be put on the website.
- 5. It is advisable for you to authorize only those persons for SIHFW bid who are employed by you on salary basis.
- 6. Certificates/Licenses/Documents which are required should be complete and updated.
- 7. The bid security (as applicable) shall be submitted in the form of D.D./Banker's cheque in favor of Director, State Institute of Health & Family Welfare (payable at Jaipur). The Bid Security may be deposited along with the filled form in the office of Director SIHFW, Jaipur before the last date and time of bid submission.
- 8. The average gross annual turnover of the bidder shall be Rs. 1 Crore (Rs.1,00,000,00) for last three years. The copy of audited reports/Income tax returns duly certified and signed by Chartered Accountant shall be submitted along with bid, failing which the bid shall be rejected. Manufacturer and /or Suppliers/Dealers are only eligible to participate in the bids.
- 9. Bid form must conform the terms & conditions of the bid documents.
- Bids received after the specified time and date (10/8/15 till 1.00 PM) shall not be accepted shall not be opened.
- Correspondence with SIHFW regarding these bids by the authorized signatory of the firm shall only be entertained.
- 12. The Bidding is for supply of final item as mentioned in the bid document with specifications mentioned thereof.



- 13. The bids shall be opened at 3.00 PM on dated 10/8/2015 in the presence of the Bidders or their representatives who wish to be present at board room, SIHFW on Stipulated Date & Time.
- 14. The SIHFW is not bound to accept the lowest bid and may reject any or all bids without assigning any reason thereof.
- 15. The Bidders shall have to submit a valid 'VAT' clearance certificate from the concerned Commercial Taxes Officer and the 'PAN' issued by Income Tax Department (As may be applicable for Government departments and agencies).
- 16. It is clarified that the information required in bidding document should be submitted only in enclosed formats (Annexure A to K) without any change or modification in it. Bids submitted with changed or modified annexure/formats may be rejected.
- 17. In case there is any lack of clarity due to misprinted/misspelled words or due to any other reason, the same may be referred to the SIHFW for clarification before submitting the bid. No claim will be entertained after submission of bid for any clarification or justification without which the bid may be liable for cancellation or fails to compete. The Director SIHFW bears right to make any such corrections/clarifications during the bid process till award of supply order to the most advantageous bidder.
- 18. The bidding process shall be subject to the provisions of the Rajasthan Transparency in Public Procurement Act and Rules made there under.

Director SIHFW, Jaipur



(BID Description)

NIT Ref.No.:F-82 (1)/SIHFW/Medi Equip Proc/15-16/Part II/5008

Date: 22.07.15

The State Institute of Health & Family Welfare (SIHFW) is apex level institute of Medical department in rajasthan State' in order to establish Skill Laboratory for skill development & demonstration site -

Single stage, unconditional bids are invited from Manufacturers and or Authorized distributors/dealers/Suppliers Firms on behalf of the Director, SIHFW, Jaipur - 302004 for the procurement of Medical Mannequins, Articles & Models as listed below:

S. No	Name of Assignment	Specifications & Quantity	Amount of Bid security (Rupees)	Validity period of bids	Place of delivery and delivery period
1	Supply, Installation & Training to Operate Medical mannequins, Articles & Models for developing Comprehensive Skill Laboratory at SIHFW	As per annexure D & E	46000/-	120 days from the date of opening of the bid	In 30 days, after issue of work order, at Store, SIHFW, Jhalana Institutional Area, Jaipur,

Bids are invited as per following time schedule:-

Date of selling of bid form	Last date and time for sale of bid form	Last date and time of depositing filled bid form	Date and time of opening of bid
27.07.15 to 09.08.15	09.08.15 till office time	10.08.15 till 1.00 PM	10.08.15 at 3.00 PM

2. The SIHFW is not bound to accept the lowest bid and may reject any or all bids without assigning any reason there for.

3. The bidders shall have to submit a valid 'VAT' clearance certificate from the concerned Commercial Taxes Officer and the 'PAN' issued by Income Tax Department (As may be applicable for Government departments and agencies).

4. It is clarified that the information required in bidding document should be submitted only in enclosed format (Annexure A to K) without any change or modification in it. Bids submitted with changed or modified annexure/ formats may be rejected.

5. The above indicative quantity of procurement is subject to a variation of about 10%.

6. The bidding process shall be subject to the provisions of the Rajasthan Transparency in Public Procurement Act and Rules made there under.

Note: - If any amendment is carried out in the bid specifications and terms & conditions following the NIB, the same will be uploaded on the Departmental website www.sihfwrajasthan.com and will not be published in news papers. In case any inconvenience is felt, please contact over telephone number i.e. 0141-2701938 or queries may be e-mailed on mail address - sihfwraj@ymail.com

Director SIHFW, Jaipur



Declaration Form cum Check List (NIB for Medical Mannequins, Articles & Models)

Annexure A

(It should be notarized)

I/We		of	Bidder)	having	our	office
at	(Address of I	Bidder)	declare th	at I/We ha	ve read	all the
Terms & Condition of the bid floated by Dire	ctor, SIHFW,	Jaipur	for the Su	oply of and	anree to	ahida
by all the Terms & Conditions set forth therein	n.	•		rpi) or and	agree to	anide

I/We declare that we are participating in this bid in the capacity of (Government Department/ Government Agency/Manufacturer/Distributor/Dealer Firm).

I/We enclose valid Manufacturing license/acknowledgement/Memorandum/IBM/ Registration of SSI Unit (As may be applicable).

I/We further declare that the rates offered by us shall remain valid for the entire period of bid validity.

I/We declare that the rates given by us are not higher than the rates given to any other procuring agency of health department in the state of Rajasthan.

S. No		Particular
1	Declaration form cum check list (Annexure-A)	Page no
2.	Bid security Banker's Cheque/DD No	Page no
3,	Self attested Photocopy of Acknowledgement of EM-II SSI unit for the quoted product and a certificate from NSIC/MSME for the production capacity (As applicable)	Dogo no
4.	Copy of Central Excise Registration (As applicable)	Page no
5.	Bid form Annexure B	Page no
6.	Original bid terms & condition (Annexure- C)	
7.	Quoted rates in the format (Annexure D along with Annexure E)	Page no
8.	Average Annual turnover statement for past 3 years certified by C.A. (Annexure F)	Page no
9.	Format of the Affidavit for EM-II on non judicial stamp paper of Rs. 10/-(Annexure-G) (As applicable)	Page no
10.	BIS License with schedule for ISI Marked Products Quoted (As applicable)	Page no
11.	Latest Sales Tax Clearance Certificate (up to dated 31.03.14).	Page no
12.	Declaration regarding complying with bid terms and condition (Annexure-H) in lieu of acceptance of terms & conditions.	Page no
13.	Declaration by the Bidder Regarding Qualifications (Annexure-I)	Page no
14.	Declaration of manufacture (Annexure J)	Page no
15.	Advance Receipt of Bid Security (Annexure K)	Page no



(Bid form is non-transferable)

Annexure B

BID FORM FOR SUPPLY OF MEDICAL MANNEQUINS, ARTICLES & MODELS

NIT Ref.No.:F-82 (1)/SIHFW/Medi I		Date: 22.07.15
Name & Address of the Bidder: M/S	5	
Telephone no. of authorized		
Fax No of the firm		
Mobile No of authorized representat		
E-mail address of the firm		
LAST DATE FOR ISSUANCE OF BID DOCUMENT	: up to 6.00 P.M. 09.08.2015	
LAST DATE & TIME FOR RECEIPT OF FILLED BIDS	: up to 1.00 P.M. 10.08.2014	
DATE & TIME OF OPENING OF BIDS	: 3.00 P.M. 10.08.2014	
PLACE OF OPENING OF BIDS	: Board Room, SIHFW, Jaipur	
BID FORM FEE	: Rs. 1000.00 (Rs.500 for SSI Un	its of Paigethan)
Bid Security		
ADDRESS FOR COMMUNICATION	: Rs.46000.00 (RS. 11500.00 for s	
	: Director, State Institute of Healt Jhalana institutional area, Near 302004 Tel. No. 0141-2701938 Fax No. 0141-2706534	h & Family Welfare, Doordarshan Kendra, Jaipul



TERMS & CONDITIONS OF BID

Bidder should read these terms & conditions carefully and comply strictly while submitting their bids. If a bidder has any doubt regarding the terms & conditions and specifications mentioned in the bid notice/catalogue, he should refer these to the Director, SIHFW, Jaipur before submitting bids and obtain clarifications. The decision of the Director, SIHFW shall be final and binding on the bidder. The clauses of terms & conditions are as follows:-

A. General terms & conditions:-

- 1. Bids are invited from Indian Manufacturers/Distributors/Dealers/Suppliers/Public sector undertakings/Govt. Departments/Agencies.
- 2. The bid shall be submitted up to 1.00 PM on dated 10/8/2015 as per schedule to Director, SIHFW, Jaipur for the supply of Mannequins, Articles & Models. At any time prior to the date of submission of bid, the Bid Inviting Authority may, for any reason, whether on his own initiative or in response to a clarification requested by a prospective bidder, modify the condition in bid document by an amendment. In order to provide reasonable time to take the amendment into account in preparing their bid, Bid Inviting Authority may at his discretion, extend the date and time for submission of bid. Interested eligible bidders may obtain further information in this regard from the office of the Bid Inviting Authority.
- 3. The bidder should have average gross annual turnover of Rs. 1 Crore (Rs.1,00,000,00) for the preceding three financial years to be eligible to participate in the bid.
- **4.** Supplies shall be made directly by the bidder, and not through its agents. Manufacturer bidder should have permission to manufacture the item quoted as per specification given in the bid from the competent authority.
- 5. Bid shall be submitted to Director, SIHFW, Jaipur.
- 6. The bidder shall submit following documents/certificates along with the bid:-
 - I. Bid security (As may be applicable), shall be deposited through Bank draft/Banker's cheque in name of Director, State Institute of Health & Family Welfare, payable at Jaipur.
 - II. A) Manufacturer bidder shall enclose duly self attested photocopy of acknowledgement of EM-II Memorandum/IBM/ Registration of SSI unit for the products duly approved by the licensing authority for every product quoted in the bid. The license, if any, should be renewed up to date.
 - B) Likewise, SSI manufacturer/bidder shall submit documents relating to being of it a SSI from Industries Department.
 - C) Government departments and agencies may submit as per rules.
 - III. Firm shall submit copy of the registration with Central Excise Department/ exemption from registration, if applicable, as per provisions of Central Excise Act.
 - IV. Duly self attested photocopy of BIS certificate, renewed up to date with respective schedule ISI certification for quoted items, if applicable.
 - V. The average annual turnover statement for preceding three financial years expired on March 31st 2015, signed by the bidder, duly verified by the Chartered Accountant
 - VI. Copy of PAN duly attested.



- VII. Duly self attested copy of latest Sales Tax/VAT clearance certificate (up to 31.03.2015) from the Commercial Tax Officer of the circle concerned, from where supplies will be affected, shall be submitted (As may be applicable for government department and agencies).
- VIII. The declaration from the bidder regarding its non-conviction by the court of law, in Annexure-

PLEASE ALSO NOTE THAT:-

- (A) All the above mentioned documents duly signed and self attested, must be submitted in an envelope labeled "A" as Technical BID, except annexure D&E which should be submitted in an envelope labeled "B" as financial Bid,
- (B) All attested documents must be submitted in Hindi or English language. If the documents are not in Hindi or English, translated version of the same, in Hindi or English, duly signed and attested by authorized translator must be submitted along with copy of original document.
- (C) Other than Sales Tax/VAT clearance certificate, all the above mentioned documents should be under the name and address of the premises where the quoted items are actually manufactured/made ready for supply (As may be applicable for government departments and agencies).
- (D) The point of supply should be specified as has been requested in bid conditions above.
- (E) The bidder shall submit its annual accounts (profit & Loss account & Balance Sheet).
- (F) If the following documents/certificates/requirements are not submitted in the technical Bid envelop "A", the bid will be liable to be declared non responsive:
 - i. Bid security (As applicable);
 - Acknowledgment of manufacturing EM-II, issued by industries department/DICINSIC/ Competent Authority, if applicable.
 - iii. Turnover certificate verified by Chartered Accountant;
 - iv. BIS certificate, in case of ISI marked items, if applicable;
 - v. Duly signed copy of Annexure-C, as acceptance of terms & conditions;
- (G) Rates in the specified format- Annexure D with signed copy of specifications given at Annexure-E both should be submitted in the Financial Bid Envelop "B".
- 7. The Bid duly filled in giving the rates for quoted items should be submitted in a sealed and duly labeled envelope at SIHFW by 10-8-15 till 1.00 PM at State Institute of Health & Family Welfare, Jhalana Institutional Area, Near Doordarshan Kendra, Jaipur

Precautions in filling up financial bid:-

- a. The financial Bid should be submitted in a separate envelop labeled "B" and clearly mentioning "Financial Bid for Medical Mannequins, Articles & Models" on it.
- b. VAT or CST, as applicable, should be mentioned clearly and separately.
- VAT or CST, if exempted, it should be specified.
- d. If an item quoted in the bid does not attract excise duty at the time of bidding and excise duty is levied by the union government subsequently, the bidder shall be entitled to such excise duty paid on production of invoices drawn as per Central Excise Rules. However, a small or medium manufacturer enjoying exemption from levy of excise duty up to a certain turnover limit, no additional payment on account of levy excise duty shall be admissible subsequently on exceeding the turnover limit.



All bids received will be opened in the presence of bidders who choose to be present on 10-8-15 at 3.00 PM at SIHFW.

8.

- i. In case of the bid being submitted by a proprietary firm, the bid must be signed by the sole proprietor. In case of a partnership firm, bid must be signed on behalf of the firm by a person authorized, holding a power of attorney in his favour to do so; and in the case of a company, the bid must be signed by an authorized signatory, in the manner laid down in the Articles of Association of the bidder company.
- ii. Any change in the constitution of the firm/ company shall be notified forthwith by the bidder/contractor in writing to the Director, SIHFW, Jaipur and such change shall not relieve any former member of the firm/company from the liability under the conditions of the bid/contract. No new partner / partners shall be accepted in the firm by the bidder/contractor in respect of the bid/contract unless he/they agree to abide by all its terms and conditions and submit a written agreement to this effect with the Director, SIHFW, Jaipur. The bidder's/contractor's receipt for acknowledgement or date of any new partner subsequently inducted, as above, shall bind all of them and will be a sufficient discharge for any of the purposes of the contract.
- **9.** The hard copy of bid documents shall be filled with ink or typed. The bidder shall sign the bid form at each page and at the end in token of acceptance of all the terms and conditions of the bid.

10. BID SECURITY:

- i. Bid shall be accompanied with a bid security Rs. 46000.00 (Rs. Forty Six Thousand Only) for whole bid. Bids submitted without sufficient bid security will be summarily rejected.
- ii. The bid security of unsuccessful bidder shall be refunded soon after finalization of the bid and issue of work order to the successful bidder. Bidder should produce a pre stamped receipt as per Annexure-K with the bid document for that purpose.
- iii. Firms which are registered as micro or SSI Unit of Rajasthan with Commissioner of Industries, shall furnish the amount of bid security Rs. 11500/- (Rs. Eleven Thousand Five hundred Only) for whole bid. In respect of items for which they are registered to manufacture, shall submit an attested copy of acknowledgment of EM-II issued by DIC, with an affidavit on non-judicial stamp paper worth Rs. 10/- as per Annexure-G.
- iv. The Public Sector Undertakings need not furnish any amount of bid security. However, bid securing declaration shall be necessary.
- v. The bid security lying with the SIHFW in respect of other bids awaiting approval or rejection or on account of contracts being completed, will not be adjusted towards bid security for the fresh bids. The bid security may, however, be taken into consideration in case bids are reinvited for the same item.
- vi. In case any document submitted by the bidder or by his authorized representative is found to be forged, false or fabricated, the bid shall be rejected and bid security may be forfeited. Bidder/his representative may also be banned/debarred. Report with police station may also be filed against such bidder/his representative.

11. FORFEITURE OF BID SECURITY:



The bid security will be forfeited if:

- i. The bidder withdraws or modifies the offer after opening of financial bid, but before acceptance of bid,
- ii. The bidder does not execute the agreement, if any, prescribed within the specified time or extended time by competent authority (on the request of the bidder),
- iii. The bidder fails to commence the supply of the items as per supply order within the time prescribed,
- iv. The bidder fails to submit samples/demonstration of quoted item on demand,
- v. The bidder violates any of the terms & conditions of the bid document.

12. GUARANTEE CLAUSE:-

- (i) The bidder would guarantee that the subject matter of procurement would continue to conform to the description and quality as per technical specifications. Notwithstanding the fact that the purchaser may have inspected and/or approved the said subject matter of procurement during the guarantee period, if the said subject matter of procurement is discovered not to conform to the description and quality as aforesaid the procuring entity will be entitled to reject the said subject matter of procurement or such portion thereof as may be discovered not to conform to the said description and quality. On such rejection, the subject matter of procurement will be at the seller's risk and all the provisions relating to rejection of goods, etc., shall apply. The successful bidder shall, if called upon to do so, replace the goods etc. or such portion thereof, as rejected by the procuring entity. Otherwise, the bidder shall pay such damages, as may arise by reason of such breach of the condition herein contained. Nothing herein contained shall prejudice any other right of the procuring entity in that behalf under this contract or otherwise.
- (ii) The bidder shall, during the guarantee period appearing in. the contract, replace the whole subject matter of procurement or parte(s), if any, and remove the manufacturing defects, if found during the above period so as to make the machinery and equipment operative.
- (iii)In case, any item supplied by the successful bidder does not conform to the required specifications, the payment thereof, if received by the supplier, shall have to be refunded to the Director, SIHFW, Jaipur. The supplier will not have any rightful claim to the payment of cost for substandard supplies, which may have been consumed, either in part or whole, pending receipt of laboratory test/inspection report, wherever required.
- (iv) The bidder shall indicate clearly the period of warrantee/guarantee in the warrantee card supplied with the prescribed items.
- (v) Free Service/replacement of any part damaged/rendered nonfunctional shall be the part of guarantee/warrantee.

13. Opening of bids

The quotations received as on 10/8/2015 (Till 1:00.PM) will be opened by the tender opening committee on at 3:00 PM on 10/8/2015 in the Board room, SIHFW. Parties interested may be present at the time of opening of quotations with their Letter of Authority or Proxy / Representative if attending should provide Authority Letter from principal quoting referred Tender Enquiries. Details of Tender Enquiry is also available on our website www.sihfwrajasthan.com. You can contact us on telephone no. 0141-2706534 for any clarification before submission of quotation.

D

14. Training/Installation

The Supplier will provide necessary technical support to the purchaser in installing and operationalizing the supplied items. Payment will be made only after installation & training.

15. APPLICABILITY OF TAXES:

As per applicable rules of the state and central governments.

16. COMPARISON OF RATES:

- i. Only net rates should be quoted. No separate free goods or cash discounts should be offered. Rates must be valid for the entire bid validity period.
- ii. In comparing the rates quoted by a firm from outside Rajasthan and another bidder from within the state, the element of Central Sales Tax shall be added in the rates of the firm from outside Rajasthan and VAT or RST, if any, shall be excluded from the rates quoted. While comparing the rates in respect of firms within Rajasthan, the element of Rajasthan V AT or CST shall be excluded from the rates quoted.
- iii. Consignee is Director SIHFW, Jhalana Institutional Area, Jaipur and the rates must be quoted accordingly. No cartage or transportation charges shall be payable.
- iv. The net rate must be inclusive of all charges by way of packing, forwarding, incidental or transit charges, including transit insurance, and any other levies or duties/training/installation etc. on the subject matter of procurement, except VAT or CST.
- v. Excise duty or surcharge prevailing on the date of submission of bid rate must be included in the net rate. In the event of any subsequent variation (increase or decrease) in the rate of excise duty, VAT or CST by the government (state or central), the same will be admissible accordingly.
- vi. If the rates of item quoted are found same from two or more bidders, then the bidders shall be asked to submit revised reduced rates within the time period given by SIHFW.
- vii. The rates must be written both in words and figures. In case of discrepancy between the prices quoted in words and in figures, lower of the two shall be considered. There should not be errors or overwriting and corrections, if any, should be made clearly and initialed with dates. Element of the Rajasthan VAT or Central Sales Tax should be mentioned separately.
- viii. The bidder will exercise all due diligence at their own level regarding applicability of other taxes, duties and fees etc. for the unit of supplies as specified in the bid document and accordingly include the same in their quotes. Any additional/extra claims over and above the rates agreed pertaining to taxes, duties and fees etc. will not be entertained later on any account.
- ix. (A) No part of the bid document should be detached/deleted.
- x.(B) The bidder shall sign with seal on every page of the bid form and terms & conditions (Annexure-C & E) in token of his acceptance of all the terms & conditions of the bid and submit the same along with bid documents. He/she should also sign at the bottom of each page of the original bid items, Non receipt of terms and conditions duly signed with the bid shall render the bid to be rejected.
- xi. Any change or insertion of any other condition or stipulation in the above terms of supplies are not allowed and if so found, this shall render the bid to be rejected without notice.

17. SUBMISSION OF SAMPLES & DEMONSTRATION:

i. Samples must be sent of the quoted items free of cost on demand if required by SIHFW even though the specifications or descriptions etc. are mentioned in the bid form are complied. In the event of non submission of samples within the prescribed period on demand, the bid Signature of Bidder



shall not be considered and bid security shall be forfeited. SIHFW may grant extension in time for submission of samples on the request of bidder.

- ii. Samples of the unsuccessful bidder should be collected back from the SIHFW, Jaipur within the period intimated. SIHFW will not be responsible for any damage, wear and tear or loss during the course of testing/examination etc. SIHFW would retain the sample of approved item for one month beyond expiry of contract. SIHFW shall not be responsible for any damage, wear & tear or loss in this period. SIHFW will not make any arrangement for return of samples even if the bidder agrees to pay the cost of transportation. The uncollected samples shall stand forfeited to the SIHFW after the period allowed for collection and no claim for cost etc. shall be entertained
- iii. Sample should be strictly according to the item quoted in the bid form failing which the bid will not be considered. Sample must be submitted duly sealed and marked suitably either by writing on the sample or on a slip or durable paper securely fastened to the sample with the particulars as mentioned below:-
 - (A) Name and full address of the firm.
 - (B) Catalogue No. and name of item,
 - (C) Name of section,
 - (D) Name of manufacturer,
 - (E) Brand.
- iv. No change in marking on sample will be allowed after the submission of the sample.

18. TERMS OF PAYMENT:-

- i. Unless otherwise agreed between SIHFW and the firm, payment (90 % of bill value) for the delivery of the stores will be made on submission of bills in proper form by the firm. 90 % Payment will be released after inspection by the committee and safe delivery at Jaipur and after installation & trainings. In case of delayed supplies, deduction of L.D. as per provisions shall be made from payments. The firms shall seek time extension from SIHFW before delayed dispatch of supplies.
- ii. Payment shall be made by RTGS/account payee Cheque/bank demand draft/banker's cheque, as the case may be. Expenses on this account, if any, shall be borne by the firm.
- iii. No advance payments towards cost of items will be made to the bidder.
- iv. All bills/invoices should be raised in triplicate and in the case of Excisable items; the bills should be drawn as per Central Excise Rules in the name of the authority concerned.
- v. If at any time during the period of contract, the price of bid items is reduced or brought down by any law or Act of the Central or State Government or by the bidder himself, the bidder shall be bound to inform Director, SIHFW, Jaipur immediately about it. Purchasing authority shall be empowered to unilaterally effect such reduction as is necessary in rates in case the bidder fails to notify or fails to agree for such reduction of rates.
- vi. Remaining 10 % payment will be made after 6 months of initial payment.

19. LIQUIDATED DAMAGES:

i. The time specified for delivery of goods in the bid form shall be deemed to be the essence of the contract and the successful bidder shall arrange supplies within the period on receipt of order from the Purchasing Officers.



- ii. In case of extension in the delivery period with liquidated damages, recovery of L.D. shall be made at such rates, as given below, of value of stores which the bidder has failed to supply
 - (a) Delay up to one- fourth period of the prescribed Delivery Period 2.5%
 - b) Delay exceeding one fourth but not exceeding half of the prescribed delivery period 5%
 - (c) Delay exceeding half but not exceeding three- fourth of the prescribed delivery period 7.5%
 - (d) Delay exceeding three- fourth of the prescribed period -10%

Fraction of a day in reckoning the period of delay in supplies shall be eliminated if it is less than half a day. The maximum amount of agreed liquidated damage shall be 10%

- iii. If the supplier requires an extension of time in completion of contractual supply on account of occurrence of any hindrances, he shall apply in writing to Director SIHFW, Jaipur for the same immediately on occurrence of the hindrances but not after the stipulated date of completion of supply. The firms shall ensure extension of delivery period for delayed supplies. The payment shall only be released by purchase officer after sanction of extension in delivery period.
- iv. Delivery period may be extended with or without liquidated damages. If the delay in the supply of goods is on account of force majeure i.e., which is beyond the control of the bidder, the extension in delivery period may be granted without Liquidated Damage.

20. PACKING & INSURANCE

- i. The good will de delivered at the destination in perfect condition. The firm if so desires may insure valuable goods against loss by theft, destruction or damages by fire, flood, under exposure to weather of otherwise in any situation. The insurance charges will have to be borne by the supplier and the SIHFW shall not be required to pay any such charges, if incurred.
- ii. The firm shall be responsible for the proper packing so as to avoid damages under normal conditions of transport by sea, rail, road or air and delivery of material in good condition to the procurement officer's store. In the event of any loss, damages, breakage or leakage or any shortage the firm shall be liable to make good such loss and shortage found at destination after the checking/inspection of material by the consignee. No extra cost such amount shall be admissible. The firm may keep its agent to verify and damages or loss discovered at the consignee's store, if it so likes.

21. REJECTION

- Articles not as per specification or not approved shall be rejected by the consignee and will have to be replaced by the supplier firm at its own cost within 15 days or as time limit fixed by the corporation.
- ii. All the stores supplied shall be of the best quality and conforming to the specification, trademark laid down in the schedule attached to agreement and in strict accordance with and equal to the approved, standard, samples. In case of any material of which' there are no standards or approved samples, the supply shall be of the best quality to be substantiated by documents. The decision of Director, SIHFW, Jaipur as to the quality of stores be final and binding upon the bidder. In case any of the articles supplied are not found as per specification or declared sub-standard/spurious, that shall be liable to be rejected and any expenses of loss caused to the supplier as a result of rejection of supplies shall be entirely at his account.



- iii. If, however, due to exigencies of Government work/interest such replacement either in whole or in part is not considered feasible, the prices of such articles will be reduced suitably. In cases where material has been used & some defect are noticed then the firm can be allowed to rectify/replace defects in portion of such defective material. The prices fixed by Director SIHFW, Jaipur shall be final.
- iv. The rejected item must be removed by the firm, within 15 days of the date of intimation of rejection. The officials concerned will take reasonable care of such material but in no case shall be responsible for any loss, damage, shortage that may occur while it is in their premises.
- v. No payment shall be made for defective/incorrect items. However, if payment has been made, then defective items shall be allowed to be removed only after the firm replaces material as per specifications, duly inspected. If the payment has not been made, the firm may be allowed to remove the material without prior replacement. Joint inspection of defective material may be carried out as required by SIHFW.
- vi. In case firm wants to take back item to their works for rectification then firm has to deposit payment received against such defective supplies. In case supplier has not received any payment then material may be returned to supplier firm for rectification.
- vii. The Bidder shall be responsible for the proper packing and delivery of the material to the consignee. In the event of any loss, damage, or breakage, leakage or shortage in transit, the Bidder shall be responsible. No extra cost on such account shall be admissible.

22. CORRECTION OF ARITHMETIC ERRORS:

Provided that the bid is substantially responsive, the procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- i. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected;
- ii. If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected; and.
- iii. If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to clause (a) and (b) above.

If the Bidder that submitted the lowest evaluated bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed.

23. PROCURING ENTITY'S RIGHT TO VARY QUANTITY:

- i. The quantity of purchase originally indicated in the bidding document may vary by 10 % without any change in the unit prices and other terms and conditions of the bid and the conditions of contract.
- ii. If the SIHFW procures less than the quantity indicated in the bidding documents the bidder shall not be entitled for any claim or compensation except otherwise provided in the conditions laid herein.

iii. If the Bidder fails to supply, the SIHFW shall be free to arrange/procure the items and the extra cost incurred shall be recovered from the Supplier.

24. VALIDITY OF BID:

Bids shall be valid for a period of 120 days from the date of opening of the bid. Prior to the expiry of the period of validity of bid, the procuring entity, may request the bidders to extend the bid validity period for an additional specified period of time. A bidder may refuse the request and such refusal shall be treated as withdrawal of the bid but in such instances bid security shall not be forfeited.

25. PRICE ESCALATION:

Price Escalation or Price Variation shall not be applicable or considered under any circumstances for the purchases made under this or agreement. However, the provisions provided for tax variations are exclusive to this clause.

26. GRIEVANCE REDRESSAL DURING PROCUREMENT PROCESS:

- 1. The Designation and address of the First Appellate Authority is Registrar SIHFW, Jaipur. .
- 2. The Designation and address of the Second Appellate Authority is Director, SIHFW, Jaipur

Director SIHFW Jaipur

I/We have read the above terms and conditions and I/We agree to abide myself/ourselves by the above terms & conditions of the bid document.



27. Special terms and conditions:-

- 1. The bid form duly signed in all respect, bid security and all other required documents should be submitted.
- 2. The Technical Bid should be submitted in an envelope "A" and Financial Bid in Envelop "B".

 Both the envelopes should be submitted in one outer envelope cover labeled "Supply of Medical Mannequins, Articles & Models" otherwise bid will not be considered.
- 3. Conditional bids will not be considered.
- 4. Transhipment will be permitted and partial shipment not allowed.
- 5. Normally, 90 % of payment will be released after receipt of goods by the consignee in good and satisfactory condition remaining payment made after 6 months of initial payment
- 6. The bidder should quote rates in Indian rupees and payment will be made in Indian rupees (INR) only.
- 7. All certificates should be valid on the date of submission of bids and issue of supply order.
- 8. The bidder shall be a manufacturer/distributor/dealer/supplier.
- 9. The bidding process shall be subject to the provisions of the Rajasthan Transparency in Public Procurement 'Act and Rules made there under.
- 10. For releasing payment above Rs.50,000/- please mention the details for E-payment comprising of Bank Name, Bank Address, Bank code, Branch Code, RTGS/IFSC, MICR Code, PAN, TAN and TIN numbers and Current Account Number in your quotation. (Also submit a copy of one cancelled cheque along with your bill).

Director, SIHFW Jaipur

I/We have read the above terms and conditions and I/We agree to abide by the same.





Annexure D

Rate Quotation Form for Medical Mannequins, Articles & Models

·Sr	Name of Item	Quantity	Unit	VAT/CST(if	Net Cost
No.			rate/price Inclusive of all expenses	Applicable)	
1	Fetal Skulls and pelvis of different sizes and materials(for simultaneous practice of mechanism of labor)	01			- V-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-
2	Adult Female CPR Mannequin	01			
3	Advance blood pressure training Arm Model (Asian Skin Color)	01			
4	Per Vaginal examination Simulators	01			
5	Models and Manikins for abdominal palpation	01			* * * * * * * * * * * * * * * * * * *
6	Labor Table (Advance labor table)	01			
7	Instrument for conduction of normal delivery and post natal care	05 of each mentioned in Technical Specification			
8	Child birth skill training simulator	01			
9	Episiotomy Suturing Simulator	01			W111.44.4.4.
10	Advance IV Hand (Asian Skin Color)	01			
11	Intramuscular Injection training ARM (Asian Skin Color)	01	,		
12	Baby dolls of different sizes and different features with clothes: for mechanism of labor, new born care, resuscitation, breast feeding etc.	01			
13	Radiant Warmer	01			
14	Foot Operated Suction Machine	01			
15	Glucometer	01		·	
16	OG Tube Insertion Mannequin	01			
17	Nebulizer	01			-
18	Multi Dose Inhaler with Spacer	01		·	
19	Phototherapy Unit	01			
20	Pediatric multi venous training arm kit (Asian Skin Color)	01			
21	Autoclave (Portable)	01			

_			<i>)</i>)°		
22	Hand Held Uterus Mannequin	01			
23	Human Fetus Replica (5 and 7 months)	01			
24	Female catheterization Mannequin	01			
25	Normal New Born baby Simulator	01			
26	Mannequin for simulation and management of PPH	01			
27	Teaching Sphygmomanometer Set	02			
28	Teaching Stethoscopes	02			
29	Empathy Belly	01		<u> </u>	
30	Atlas of cervical dilatation	01			
	Total	1		<u> </u>	

I/We hereby confirm that above rates/prices are full and final and will not be changed during bid period.

I/We agree to abide by the norms of SIHFW for evaluation of bid prices.

I/We agree to submit revised lower prices in case the above prices are lowest with one or more bidder.

The above prices are inclusive of all expenses and SIHFW is not responsible to pay for any expenses other than the prices quoted above.

The detail Technical description of above items places at Annexure - E

Signature of the bidder with seal

Name of the authorized signatory


Designation

Date

Signature of Bidder

12 Malousat





	nnical cum Com	•	
Sr	Name of	Quantit	Item Specification
No.	Item	у	
1	Fetal Skulls and pelvis of different sizes and materials(for simultaneous practice of mechanism of labor)	01	 The Model/mannequin should be of polyvinyl or silicone rubber, free from any hazardous materials, the texture of the material should be as close to feel of the baby/adult skin as relevant The internal parts of the mannequin must be realistically sculpted, anatomically accurate and feel must be smooth/resilient/bony as relevant and suitable for simulation Should be made of PVC material Angles of pelvis arch: 90-100 degree The Model/device should be useable for nursing, medical and paramedical students & professionals
2	Adult Female CPR Mannequin	01	 Adult Female CPR mannequin - with realistic patient positioning, flexibility and superior range of motion and The mannequin should be of polyvinyl or silicone rubber, free from any hazardous materials The external appearance of the model should be female
			 The external appearance of the model should be female The texture of the material should be as close to feel of the baby/adult skin as relevant (for general nursing procedures) Adult CPR mannequin should have features to demonstrate opening of airways, head tilt/chin lift and jaw thrust techniques. It should have disposable airways Detachable and Removable internal tank Enema administration capability Eyes open and close Interchangeable genitalia Hair wig for hair care exercise and surgical draping Nasal and oral tube placement NG and OG tube feeding and gastric suction Mannequin should help in doing and demonstrating exercise from transverse colostomy management to tracheotomy, from intramuscular injection to ophthalmological treatment Should have removable and reusable faces Adult CPR mannequin should have a "clicker" which confirms correct compression depth Should have a compression spring for consistent resistance The internal parts of the mannequin must be realistically sculpted, anatomically accurate and feel must be smooth/resilient/ bony as relevant and suitable for simulation The Model/device should be useable for nursing, medical and paramedical students & professionals
			Additional Accessories: ✓ 10 nos. reusable mannequin faces ✓ 10 nos. mannequin wipes ✓ 50 nos. mannequin wipes ✓ 10 rolls of free disposable barriers to prevent cross- contamination



15 Malau at

3	Advance blood pressure training Arm Model (Asian Skin Color)	01	The Model/mannequin should be of polyvinyl or silicone rubber, free from any hazardous materials, the texture of the material should be as close to feel of the baby/adult skin as relevant The internal parts of the mannequin must be realistically sculpted, anatomically accurate and feel must be smooth/resilient/bony as relevant and suitable for simulation. The device should be useable for nursing, medical and paramedical students & professionals
4	Per Vaginal examination Simulators	01	 The Model/mannequin should be of polyvinyl or silicone rubber, free from any hazardous materials, the texture of the material should be as close to feel of the baby/adult skin as relevant The internal parts of the mannequin must be realistically sculpted, anatomically accurate and feel must be smooth/resilient/bony as relevant and suitable for simulation The device should be useable for nursing, medical and paramedical students & professionals Cervical dilatation simulator useable for nursing, medical and paramedical students and professionals Should have cervical dilatation attachment for closed os, 4cm, 6cm, 8cm and fully dilated cervix
5	Models and Manikins for abdominal palpation	01	 Palpation model for Leopold Maneuvers The Model/mannequin should be of polyvinyl or silicone rubber, free from any hazardous materials, the texture of the material should be as close to feel of the baby/adult skin as relevant The internal parts of the mannequin must be realistically sculpted, anatomically accurate and feel must be smooth/resilient/bony as relevant and suitable for simulation Manikin should have full size adult female lower torso (Abdomen and pelvis) The abdominal palpation mannequin should have a one-piece full term fetus with palpable fontanel's, spine, shoulders, elbows and keens The abdominal palpation mannequin should have a mechanism to adjust the firmness of the abdomen in respect to the weeks of pregnancy i.e. 12, 24, 36, 42 gestational age models The device should be useable for nursing, medical and paramedical students & professionals
6	Labor Table (Advance labor table)	01	 Advance labor table useable for nursing, medical and paramedical students & professionals. With provision of attached light and oxygen hood Two-section mattress basis with leather or plastic cover suitable for disinfecting Heavy gauge sheet steel top mechanical regulation of back section powder coating paint suitable for wet cleaning Chrome-plated of ratchet supporting cross bar and components. A raising and lowering of a table should be actuated through a mechanically (foot paddle) Complete heel stirrups and leg holders with Velcro canvas straps, and leather or plastic covered pad filled with polyurethane or other similar material Support for soles and knees, side protection All steel frame work sturdily braced and mounted on rubber floor feet Table with steps for rising to patient on table Lateral handrail on both sides.





ſ	7	Instrument		
	1	Instrument for	(05 of each	 The equipments should be useable for nursing,
		conduction of normal delivery	mentioned in	medical and paramedical students & professionals
		and post natai	left column)	Sponge holding forceps stainless steel
ļ		care		Speculum Cuscus stainless steel
		Joans		Speculum Duckbill stainless steel
				Kocher forceps stainless steel
ŀ				Set of dilators stainless steel
-				Uterine sound
				Uterine vulsellum forceps stainless steel
				Tenaculum forceps stainless steel
				Artery forceps stainless steel
				Scissors- long stainless steel
-	0	0.21.1.2		M.R syringe stainless steel
- ['	8	Child birth skill	01	The material of mannequin should be of polyvinyl or silicons with a few
		training simulator		silicone rubber, free from any hazardous material
				The texture of the mannequin should be close to the
				leel of the baby/ adult skin
			1	The internal parts of the mannequin must b realistically.
-				Sculpted, anatomically accurate and feel must be
1				smooth resilient pony as relevant and suitable for
1			·	, simulation
1				Should have pelvis structure of adult female with
1			}	alidioffical landmarks like pelvic cavity spine oto
Ì			}	should have manual birthing system to enable the user (
				to control the rotation and speed of fetus delivery etc.
ļ				Should have fetal baby with movable joints
ļ				Should be versatile to change the position of the fetus during the present of the fetus.
l		ĺ		during the process of birth including descent flexion
ļ				extension, internal and external rotation and restitution
ł				Should have features for training normal and breech deliveries
				Should have features to demonstrate cord prolapsed Shall allow demonstrate.
				Shall allow demonstration and practice of placenta previa
	ĺ			Should have cervical dilatation attachment for closed Os 4cm 6cm 8cm and fully dilated as a first.
				Os, 4cm, 6cm, 8cm and fully dilated cervix
	ĺ	1	j	Additional Accessories
	ļ			✓ Fetal baby with moving joints
	ļ			6 nos. detachable dilating cervices
	ļ			✓ 2 nos. placentas
			.	✓ 5 nos. umbilical cords
		<u> </u>		

X

15 Malawar

9	4		
9	Episiotomy Suturing Simulator	01	 The Model/mannequin should be of polyvinyl or silicone rubber, free from any hazardous materials The texture of the material should be as close to feel of the baby/adult skin as relevant, should enable use of standard needle holder with "00" or "000" sutures Should have one model featuring standard episiotomy Should have features to attach with child birth simulator and episiotomy with tears Mannequin should demonstrate the different types of episiotomies and permits episiotomy suturing The device should be useable for nursing, medical and para medical students & professionals The internal parts of the mannequin must be realistically sculpted, anatomically accurate and feel must be smooth/resilient/ bony as relevant and suitable for simulation Should enable use of chromic sutures
10	Advance IV Hand (Asian Skin Color)	01	 The Model/mannequin should be of polyvinyl or silicone rubber, free from any hazardous materials, the texture of the material should be as close to feel of the baby/adult skin as relevant, should allow practicing: intravenous injections, correct puncture of peripheral veins for blood sampling, puncturing the veins of upper limb including positioning of butterfly cannula. Adult IV training should have full adult arm with clenched/open fist The internal part of the mannequin must be realistically and feel must be smooth/resilient/ bony as relevant and suitable for simulation and practicing IV injections. Adult IV training arm should have anatomically located venous grooves, fitted with soft tubes, closely simulating consistency of human veins The device should be useable for nursing, medical and paramedical students & professionals Additional Accessories 5 packs of red color concentrate /powder. With tubing and connector 100 sets of replacement skip muttil velocities.
11	Intramuscular Injection training ARM (Asian Skin Color)	01	 The mannequin should be of polyvinyl or silicone rubber, free from any hazardous materials, the texture of the material should be as close to feel of the baby/adult skin as relevant Model should be synthetic replica of human arm designed for instructing intravenous) IV line placement, injections and infusions. It should stimulate anatomy of an arm with blood vessels, tissues and skin produced in soft, rubber- like materials. The model should have lifelike human torso with intramuscular injection site upper outer quadrant of palpable gluteal region on both side (left and right) The device should be useable for nursing, medical and paramedical students & professionals

X

Ventorona

		5			
	12	Baby dolls of	01	The Model/mannequin should be of polyvinyl or silicone rubber, fre	_
	- [different sizes	1 .	from any hazardaya materials, the text of the	е
	ĺ	and different		from any hazardous materials, the texture of the material should be	е
	1	features with	ļ	as close to feel of the baby/adult skin as relevant	
	ł	clothes: for		The internal parts of the mannequin must be realistically sculpted	1
	-	mechanism of		anatomically accurate and feel must be smooth/resilient/bony a	•,
		labor, new	}	relevant and suitable for simulation	S
	ĺ	born care			
	ł	resuscitation,	ł	and a second training to the man begin also	
		breast		New born baby doll- Asian Special Features (skin, texture etc)	
		feeding etc.		 Should have moving head flexible upper and lower limbs 	
	1	3 3 4 5 .	}	The device should be useable for nursing, medical and paramedical	. 1
	ļ			students & professionals	il.
	13	Radiant	01	Advance Radiant warmer with Oxygen cylinder provision, side trays for accessories.	
		Warmer		for accessories mattress nodding should be trays	3
	.]		ĺ	for accessories, mattress- padding should have foam density	/
			ĺ	approx. 21-25 kg/m3 (should be wash able and removable)	1
				overhead light should have 2*50W halogen spot, with dimming	j
				function, should have electronically controlled sensors with digital display for temperature	
	ĺ	1		Should have four publications at the second	
	1	·		 Should have four antistatic castors (wheels) and 2 wheels with breaks 	ı
		}		1	
	1			Should have table surface with mattress with infant head/ shoulder	۱ ۰
	ł			support	İ
	ł		•	Should have electronically controlled sensors (Skin &Air) with digital	
	1			display for temperature	- 1
		.]		Should have separate sensor for continuous digital display of room temperature.	1
				temperature	ĺ
	·	1		Should have heavy duty and rust proof metal body	-
	}	1		Should have servo and manual control facility	
	ļ			Should have SET temperature display on FND/LCD by model selection.	ĺ
				selection	
İ				Must have all modes and timer display on LCD	J
i				Should have all safety alarms- visual display on LCD	1
l		1		Should have skin senor fail alarm	1
Į		1			1
Į]		 The device should be useable for nursing, medical and paramedical students & professionals 	
Ţ	14	Foot	01	It should have high performance and it.	1
ļ	-	Operated		It should have high performance suction pump for pharyngeal and tracheal suction, double pictor, and tracheal suctions.	
ĺ	•	Suction		tracheal suction, double piston pump providing a combination of large airflow and high vacuum	
ĺ		Machine		Should have see any resument of the state	
ĺ				Should have see-saw movement of pedal that generates suction every time, one side of the model is described.	l
				every time, one side of the pedal is depressed	l
		ĺ	i	All parts should be made of high- strength. Long-life materials, not	
				requiring specific maintenance or storage	
				Should have transparent polycarbonate collection container	l
		[,]	ĺ	capacity, approximately 1 liter	
			İ	Should have thermoplastic rubber bottom cover	
	i		ļ	 Manifold pipe :polypropylene gasket, O-rings and valve diaphragm: 	
				silicone rubber	
			ļ	Should have Teflon piston rings	
	į	j	. [Should have aluminum foot pedal	
	1	[ĺ	The device should be useable for nursing, medical and paramedical	
	ļ			students & professionals	
			ļ	Additional Accessories:	
	Ī			✓ 3 set of silicone rubber suction tubing	
	1		ĺ	√ 3 angle connector and combination acetal suction tip	
				✓ 2 space valve diaphragms	
	ļ		}	2 spare piston O ring	
				✓ 2 spare retaining springs Signature of Bidder	

1

15 ml alawat

26				/ 0
	26 15	Glucometer	01	 Glucometer have direct reading and photometry determination of total amount of glucose in the whole blood Should have system showing readiness for receiving blood through strip sit should be certified according CE 93/42,FD 510K or equivalent Should have dual wavelength measurement 660 and 840 nm. The device should be useable for nursing, medical and paramedical students & professionals Memory for at least 100 previous tests Additional accessories:
ŀ	16	OG Tube	01	✓ 10* spare set of fuses
	10	Insertion Mannequin	01	 The Model/mannequin should be of polyvinyl or silicone rubber, free from any hazardous materials, the texture of the material should be as close to feel of the baby/adult skin as relevant The internal parts of the mannequin must be realistically sculpted, anatomically accurate and feel must be smooth/resilient/bony as relevant and suitable for simulation Infant simulation model to practice the insertion of suction catheters
				 into nasal cavity and oral cavity a well suction procedures oral tube feeding Should look like 0-8 weeks old Should have Soft and flexible and replaceable face skin and upper body skin Placing of NP/OP tubes must be possible, markings for ear canal, should have removable internal parts The device should be useable for nursing, medical and paramedical students & professionals
	17	Nebulizer	01	 It should be easy use and clean. It should be inhaled steroids, antibiotics and all commonly prescribed broncho-dialtors. It should have mask with different size (adult &pediatric) Additional accessories(to be provided): 5 filters 10 masks (each size) 10 mask with mouth piece 5 replacement 5 set tubing 2 AC/DC adapters 10 set of batteries
1	1	Multi Dose Inhaler with Spacer	01	 The device should be of 145ml volume; spacer should be 5-6" long and 2" diameters. It should have silicon one way valve to prevent exhaling air from entering the chamber. Spacer should e washable and sterilized and reusable and it should be latex free
				 The device should be useable for nursing, medical and paramedical students & professionals

27			N
19	Phototherapy Unit	01	 Should have heavy sturdy mobile stand Should have four antistatic castors, 2 with breaks Should have blue light with 4 compact fluorescence tubes (CFL) approx: 20W Should have grills to protect the tubes Should have infant table surface with foam padded matters with density approx. 21-25 kg/m3 with infant head/shoulder support andMatter cover should be movable with zipper, waterproof, washable, resistant to cleaning with chlorine based solution and flame retardantInfant table should have side boards transparent acryl, drop and lockable Should be irradiant at skin level to: 40 UV /cm2/nm Should have wavelength: 420 to 500 nm, with highest intensity at 470 nm integrated cumulative hour timer The power requirement not more than 220V/50 Hz; and power consumption not more than: 250 W Phototherapy unit should have device safety certification according CE 93/42, FDA 510k or equivalent Additional Accessories: ✓ 6 spare blue CFL tubes ✓ 3 spare white CFL tubes
20	Pediatric multi venous training arm kit (Asian Skin Color)	01	 ✓ 3 spare white CFL tube ✓ 10 spare set of fuses The Model/mannequin should be of polyvinyl or silicone rubber, free from any hazardous materials, the texture of the material should be as close to feel of the baby/adult skin as relevant The texture of the mannequin should be close to the feel of the baby/adult skin as relevant The internal parts of the mannequin must be realistically sculpted, anatomically accurate and feel must be smooth/resilient/bony as relevant and suitable for simulation Should have pediatric arm Should have replacement skin and multi vein system Should have simulated blood pack
			 Should have blood bag with tubing and connector Should have clamp and hook Should have 5 syringes Should have mannequin lubricant Additional Accessories: 5- replacement skin 5- multi- vein system 3- simulated blood pack 3- blood bag with tubing and connector 3- lubricant
21	Autoclave (Portable)	01	Autoclave should of capacity of 20 liter and must be stand alone bench top autoclave • Should have automatic single door, shelf –sealing with high – quality silicone gasket • Chamber diameter should be 25 cm and depth 45 cm • Auto clave The device should be useable for nursing, medical and paramedical students & professionals



10 Malassah

28			×
23	Hand Held Uterus Mannequin Human Fetus Replica (5 and 7 months)	01	 The Model/mannequin should be of polyvinyl or silicone rubber, free from any hazardous materials, the texture of the material should be as close to feel of the baby/adult skin as relevant Model should be based on real anatomy of female genitalia and model should be designed and used for demonstration of insertion and removal of IUD. The internal parts of the mannequin must be realistically sculpted, anatomically accurate and feel must be smooth/resilient/bony as relevant and suitable for simulation, device should have accurate sagittal or coronal section of uterus and vagina The device should be useable for nursing, medical and paramedical students & professionals Human fetus should be very close to real Human fetus replica should have actual size showing external development and growth of the fetus for corresponding gestational age Human fetus replica should have available to represent different gestation period- 5th and 7th month Human fetus replicas should have features, color and skin texture simulating Indian babies Human fetus should be feasible for teaching external development and growth of the fetus
24	Female catheterizatio	01	 Human fetus replicas should be flexible enough to fit inside the abdominal palpation mannequin while demonstrating the Leopold maneuver during pregnancy The material of mannequin should be of polyvinyl or silicone rubber, free from any hazardous materials
	n Mannequin		 The texture of the mannequin should be close to the feel of the baby/ adult skin as relevant The internal parts of the mannequin must be realistically sculpted, anatomically accurate and feel must be smooth/ resilient/bony as relevant and suitable for simulation Should have adult female lower torso with realistic vulval area and urethral opening Female catheterization mannequin should have reservoir bladder Should have replaceable urethral valve to prevent fluid leakage Should have removable urinary assembly
25	Normal New	01	The material of mannequin should be of polyvinyl or silicone
	Born baby		rubber, free from any hazardous materials The texture of the mannequin should be close to the feel of the
. [Simulator		baby/ adult skin as relevant
			 It should weigh close to the normal newborn Should have actual size showing external development and growth Should be close to the normal skin colour, texture and bony feel Should have moving head, flexible upper and lower limbs
			Should have KMC clothes compatible with the size of the mannequin



Isalolowat

26	Monnoguin	04	
20	Mannequin for simulation and	01	 The material of mannequin should be of polyvinyl or silicone rubber, free from any hazardous materials The model should be highly realistic for simulating postpartum hemorrhage
į	management of PPH		The model should have features to manually control amount of bleeding
27	Teaching Sphygmoman ometer Set	02	 It should be designed as such that it should be used for teaching It should have dual- head teaching stethoscope plus a popular aneroid Sphygmomanometer. It should have system through which simultaneous listening by teacher and student or two student at time possible Device should assist students in detection of systolic and diastolic heart sounds
28	Teaching Stethoscopes	02	 It should be useful teaching and medical instructor no longer need to describe heart and lung sounds to student they could listen to simultaneously Device should help instructor and student to listen to the same sound source, enabling multifunctional teaching applications in all clinical and education settings The slim, ergonomic, lightweight anodized aluminum chest piece is fitted with an ultra-thin fiber diaphragm for amplification and transmission of heart and lung sounds The non sticking acoustic tubing, constructed of thicker, denser, latex- free PVC, provides insulation for superior sound transmission and seals out ambient noise while preventing cracking and wearing. It should have longer than average length to allow a comfortable space between health professional and patient The adjustable Accu Fit headsets, constructed from chrome plated brass, to allow users to create individualized fits. Soft silicone comfort seal ear tips for hygienic purposes and conform to the ear Should include ny;lon zippered carrying case with hook- and -loop side pocket, two extra sets comfort seal ear tips, two spare ultra-
29	Empathy Belly	01	The Model/mannequin should be of polyvinyl or silicone rubber, free from any hazardous materials, the texture of the material should be as close to feel of the baby/adult skin as relevant The internal parts of the mannequin must be realistically sculpted, anatomically accurate and feel must be smooth/resilient/bony as relevant and suitable for simulation The device/equipment should be useable for nursing, medical and paramedical students & professionals
30	Atlas of cervical dilatation	01	The Model/mannequin should be of polyvinyl or silicone rubber, free from any hazardous materials, the texture of the material should be as close to feel of the baby/adult skin as relevant Cervical dilatation Simulator useable for nursing, medical and paramedical students & professionals



ANNEXURE-F

(On firm's letter head) ANNUAL TURN OVER STATEMENT

******************		Address
iven below and	certified that the statement is true and c	correct.
i. NO.	Financial Years	
	THIGH TEATS	Turnover in Lakhs (Rs)
1.		
2.		
	.	
3.		
		·
	∛otal	Rs Lakhs
	4	ins Lakns
100		
erage gross ann	tural turn ou ou	
		RsLakhs
ite: - Turn over f	or the year 2014-15 may also be conside	red, if the accounts are audited and
tified by C.A.		
	7	
te	<u>.</u>	
ie	, Signature of the bidder	Signature of Auditor/Seal
		Chartered Accountant
	•	(Name & Address.) Tel. No.



ANNEXURE-G

Format of Affidavit for EM-II (As may be applicable)

(On Non Judicial Stamp Paper of Rs. 10/-)

Propri	Yrsresiding atdo ietor/Partner/Authorized Director of M/sdo y solemnly affirm and declare that:
a.	My/Our above noted enterprise M/s
	My/Our above noted acknowledgement of Entrepreneurial Memorandum Part-II has not been cancelled or withdrawn by the Industries Department and that the enterprise is regularly manufacturing the above items. My/Our enterprise is having all the requisite plant and machinery and is fully equipped to manufacture the above noted items.
	Signature of Proprietor/Director
	Authorized Signatons with Bubban

Authorized Signatory with Rubber
Stamp and date



X

(ON A NON JUDICIAL STAMP PAPER OF RS. 100/-)

DECLARATION

i/V	V e M/s	******************************		*******		rep	resented	l bv
its								
	***************************************	and its Facto	ory/Premise	e at	• • • • • • • • • • • • • • • • • • • •		**********	
	declare that I/we have							
	ted inc							
	dical Mannequins, Artic							
any			•					٠, ٠.
/W	e agree that the Director	or, SIHFW, Jaipur may	forfeit bid s	security ar	nd or	performance	security :	and
	par me/us for a period sp	i contract of the contract of						
	oe false/fabricated at th							
	nexure-C) of the bid do							
	cifications of the item.		•					6

Signature & Seal of bidder

Name & Address:



Annexure-I

(Shall be submitted on letter head of firm)

Declaration by the Bidder regarding Qualifications

In relation to my/our bid submitted to Director, SIHFW, Jaipur for procurements of **Supply of Medical mannequins**, **Articles & Models** in response to their Notice Inviting Bid No. F-82(1)/SIHFW/Medi Equip Proc/15-16/part II/5008, Dated: 22.07.15 , I/We hereby declare under Section 7 of Rajasthan Transparency in Public Procurement Act, 2012 that:

- 1) I/We possess the necessary professional, technical, financial and managerial resources and competence required by the bidding document issued by the Procuring Entity;
- 2) I/We have fulfilled my/our obligation to pay such of the taxes payable to the Union and the State Government or any local authority as specified in bidding document;
- 3) I/We are not insolvent, in receivership, bankrupt or being wound up, not have my/our affairs administered by a court or a judicial officer, not have my lour business activities suspended and not the subjected of legal proceedings for any of the foregoing reasons;
- 4) I/We do not have , and our directors and officers not have , been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
- 5) I/We do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date:		Signature of bidde
Place:		Name:
		Designation:
	•	Address:



Annexure-J

(Shall be submitted on letter head of firm.)

Declaration

Date:	
NIB No.:	
I/We a legally constituted firm/body	and
represented by	declare that I am/ we are Government
firms/Public sector undertakings/ agencies/ Manufac applicable) in the Goods and Related Services for wh	cturers/Distributors/ Dealers/Supplier (Mark \checkmark as ich I/W e have Bid.
If this declaration is found to be incorrect then witho taken, my/our Bid Security may be forfeited in full an cancelled.	out prejudice to any other action that may be ad the Bid if any to the extent accepted may be
Signed	
Name	
In the capacity of	
Duly authorized to sign the Authorization for and on b	pehalf
Tel:	
Fax:	
E-mail:	
Date:	



Annexure K

Receipt of Bid Security

Ref: Notice Inviting Bids No F-82(1)/SIHFW/Medi Equip proc/15-16/Part II/5008, Dated: 22.07.15

	Rs	•
From SIHFW as re	fund of bid security for above refe	

Seal and signature of authorized signatory of the firm